

LAB FURNITURE AND CASEWORK

Chapter 10



C Series Cabinet Specifications	390-391
C Series Assembled Units Layout Styles	392-393
Wall Cabinet Specifications	394-395
Dead Corner Wall Cabinets	396
Tall Storage Cabinets/Solid Doors	397
Tall Storage Cabinets/Glass Doors	398
Base Cabinets	399-401
Specialty Cabinets	402
Corner Base Cabinets	403
Slope Tops and Ceiling Fillers	404
BF600 Downdraft Work Cell	405
Vented Pathology Storage Cabinet	406

C Series Cabinet Specifications

1

Casework Construction

Materials: All Mopec cabinets are constructed of heavy-duty stainless steel (A.I.S.I. type 304, chrome nickel alloy containing 18% chrome and 8% nickel with a #4 satin finish). All exposed welds are a continuous bead type and are ground and regrained to match the adjacent #4 satin finish.

Cabinets: All face joints are flush without overlaps. Corners are reinforced with angles or welded, as required. All exposed face rails and stiles are 1-1/4" wide. A 3/4" deep by 1/2" rabbet is provided for all doors and drawers. Each cabinet is fabricated with a four inch high by three inch deep toe space. Each corner is fitted with a 14 gauge gusset along with an adjustable bolt for leveling during installation. One shelf is provided for each cabinet section complete with adjustable KV type brackets for easy adjustment on 1/2" centers.



ADA Compliant cabinets also available.

Door and Drawers: Each door and drawer face is fabricated with 5/8" thick double-pan construction, filled with an insulating board securely cemented to both pans. Swing doors are provided with No. 14 gauge tapped reinforcement strips to support the hinges and fitted with 3/8" diameter rubber bumpers at the corners of the jamb side. Each door has two brushed stainless steel hinges with nylatron bushings. Each drawer is fabricated with four nylon tiered ball bearing rollers along with a 14 gauge channel. The drawer will automatically close at the last 5" of travel and is capable of carrying 100 lbs.

Sliding Metal Doors: Doors are constructed similar to the hinged door without hinge reinforcements. Each sliding door is fitted with two grooved nylon sheaves that ride on an aluminum track set in the bottom of the cabinet. The top of each door has two nylon guides to prevent metal-to-metal contact.



Completed lab with cabinets

2

3

4

5

6

7

8

9



10

11



Custom cabinets

C Series Cabinet Specifications



Material Gauge

- A** Cabinet sides, back, bottom and top:
18 gauge

- B** Door and drawer outer pans:
18 gauge

- C** Door and drawer inner pans:
20 gauge (hidden)

- D** Drawer body:
20 gauge

- E** Drawer suspension:
14 gauge (hidden)

- F** Counter top, back splash and sink bowl:
16 gauge

- G** Shelves, sloped tops and sub-bases:
18 gauge (hidden)

- H** Hinge reinforcement:
14 gauge (hidden)

Cabinet Key:

- Product # LA___ - ___
= Wall Mounted
w/Solid Door(s)

- Product # LB___ - ___
= Wall Mounted
w/Glass Door(s)

- Product # LC___ - ___
= Floor Mounted
w/Solid Door(s)

- Product # LD___ - ___
= Floor Mounted
w/Glass Door(s)

- Product # LE___ - ___
= Base Cabinets

- Product # LF___ - ___
= Trim and Accessories

Rubber bumpers and stops are supplied with all doors. Glass doors will be similar to the metal doors with vertical and horizontal stiles 2" in width. Doors with frames are glazed with 7/32" thick glass set in Neoprene channels. Doors without a frame are constructed with tempered glass.

Hardware: All exposed hardware is brushed stainless steel. Hinges are .093" thick with lubricate impregnated nylon as the friction surface. Each door is provided with a nylon roller friction latch and rubber bumpers.

Cabinet Shelves: The shelves have front, back and ends flanged down 1" with the flange at front and back turned up at an angle to establish firm contact with the underside of the shelf. All shelves are supported with cadmium plated brackets adjustable on 1/2" centers.

Counter Top Construction: Formed edges are 1-1/4" thick with a marine edge around the perimeter. Counter tops that do not include an integrally constructed sink will not be formed with a marine edge. The underside of the counter is reinforced

with steel channels and covered with sound deadening material. All exposed welding is ground smooth and regrained to match a #4 satin finish.

Stainless Steel Sinks: Stainless steel sink bowls are made from sheet steel and formed to provide a seamless construction. Internal radiuses are 1" and pitched to the formed sink strainer basket to insure proper drainage. Sinks are integral construction without seams, ground and polished to match the adjacent surfaces. Sink depths are 7" and sized as follows: A) 14" x 17", B) 20" x 17" and C) 24" x 17". Custom sizes are available.

Stainless Steel Finish: All welds use stainless steel filler media with all exposed welds ground smooth and regrained to match the adjacent #4 satin finish.

1

2

3

4

5

6

7

8

9

10

11

C Series Assembled Unit Layout Styles

Standing Height Assembly - Side View

1

2

3

4

5

6


7

8



9

10



11




Island Style



Wall Style
24" Top




Wall Style
30" Top



C Series Assembled Units


LG-100-84

Base Cabinets with Double Sink Counter Top
Seven Foot Work Surface
Water Fixture Included




LG-100-96

Base Cabinets with Double Sink Counter top
Eight Foot Work Surface
Water Fixture Included




LG-100-108

Base Cabinets with Double Sink Counter Top
Nine Foot Work Surface
Water Fixture Included



LG-100-120

Base Cabinets with Double Sink Counter top
Ten Foot Work Surface
Water Fixture Included



1

2

3

4

5

6

7

8

9

10

11

Wall Cabinet Specifications

12" Deep Cabinets/Stainless Steel Door

1

2

3

4

5

6

7


8

9


10

11


H=Height
D=Depth
L=Length




• Open Front Unit




• Swing Door Unit
• Hinged Solid Doors (Right)



• Swing Door Unit
• Hinged Solid Doors (Left)



• Swing Door Unit
• Hinged Solid Doors



• Sliding Door Unit
• Flush Pulls
• Solid Door Panels

Last two digits of catalog number indicate length (L)

18" High with No Shelf

LA268-18	LA260-18	LA261-18	LA262-30	LA266-30
LA268-24	LA260-24	LA261-24	LA262-36	LA266-36
LA268-30			LA262-42	LA266-42
LA268-36			LA262-48	LA266-48
LA268-42				
LA268-48				

30" High with 2 Shelves

LA201-18	LA217-18	LA218-18	LA203-30	LA205-30
LA201-24	LA217-24	LA218-24	LA203-36	LA205-36
LA201-30			LA203-42	LA205-42
LA201-36			LA203-48	LA205-48
LA201-42				
LA201-48				

36" High with 2 Shelves

LA238-18	LA230-18	LA231-18	LA232-30	LA236-30
LA238-24	LA230-24	LA231-24	LA232-36	LA236-36
LA238-30			LA232-42	LA236-42
LA238-36			LA232-48	LA236-48
LA238-42				
LA238-48				

42" High with 2 Shelves

LA248-18	LA240-18	LA241-18	LA242-30	LA246-30
LA248-24	LA240-24	LA241-24	LA242-36	LA246-36
LA248-30			LA242-42	LA246-42
LA248-36			LA242-48	LA246-48
LA248-42				
LA248-48				

48" High with 3 Shelves


LA258-18	LA250-18	LA251-18	LA252-30	LA256-30
LA258-24	LA250-24	LA251-24	LA252-36	LA256-36
LA258-30			LA252-42	LA256-42
LA258-36			LA252-48	LA256-48
LA258-42				
LA258-48				

ADA (32" H) and sitting (28-1/2" H) cabinets are available
Mopec offers a wide selection of additional sizes - please check with a Mopec Representative


Wall Cabinet Specifications

12" Deep Cabinets/Glass Door


H=Height
D=Depth
L=Length




- Sliding Door Unit
- Frameless Glass Doors
- 1/4" Tempered Glass




- Swing Door Unit
- Hinged Glass Doors
- 1/4" Float Glass (Right)



- Swing Door Unit
- Hinged Glass Doors
- 1/4" Float Glass (Left)



- Swing Door Unit
- Hinged Glass Doors
- 1/4" Float Glass



- Sliding Door Unit
- Flush Pulls
- 1/4" Float Glass

Last two digits of catalog number indicate length (L)

18" High with No Shelf

LB267-30	LB263-18	LB264-18	LB265-30	LB269-30
LB267-36	LB263-24	LB264-24	LB265-36	LB269-36
LB267-42			LB265-42	LB269-42
LB267-48			LB265-48	LB269-48

30" High with 2 Shelves

LB219-30	LB210-18	LB211-18	LB206-30	LB208-30
LB219-36	LB210-24	LB211-24	LB206-36	LB208-36
LB219-42			LB206-42	LB208-42
LB219-48			LB206-48	LB208-48

36" High with 2 Shelves

LB237-30	LB233-18	LB234-18	LB235-30	LB239-30
LB237-36	LB233-24	LB234-24	LB235-36	LB239-36
LB237-42			LB235-42	LB239-42
LB237-48			LB235-48	LB239-48

42" High with 2 Shelves

LB247-30	LB243-18	LB244-18	LB245-30	LB249-30
LB247-36	LB243-24	LB244-24	LB245-36	LB249-36
LB247-42			LB245-42	LB249-42
LB247-48			LB245-48	LB249-48

48" High with 3 Shelves

LB257-30	LB253-18	LB254-18	LB255-30	LB259-30
LB257-36	LB253-24	LB254-24	LB255-36	LB259-36
LB257-42			LB255-42	LB259-42
LB257-48			LB255-48	LB259-48

1

2

3

4

5

6

7

8

9

10

11

ADA (32" H) and sitting (28-1/2" H) cabinets are available
Mopec offers a wide selection of additional sizes - please check with a Mopec Representative

Dead Corner Wall Cabinets

1

2

3

4

5

6

7


8

9


10

11


H=Height
D=Depth
L=Length




- Dead Corner
- Solid Door
- Right Door Swing



- Dead Corner
- Solid Door
- Left Door Swing



- Dead Corner
- Glass Door
- 1/4" Float Glass
- Right Door Swing




- Dead Corner
- Glass Door
- 1/4" Float Glass
- Left Door Swing


Last two digits of catalog number indicate length (L)

Product No.	Product No.	Product No.	Product No.
LA282-30 (H = 24.5 in.)	LA286-30 (H = 24.5 in.)	LB290-30 (H = 24.5 in.)	LB294-30 (H = 24.5 in.)
LA283-30 (H = 30 in.)	LA287-30 (H = 30 in.)	LB291-30 (H = 30 in.)	LB295-30 (H = 30 in.)
LA284-30 (H = 36 in.)	LA288-30 (H = 36 in.)	LB292-30 (H = 36 in.)	LB296-30 (H = 36 in.)
LA285-30 (H = 48 in.)	LA289-30 (H = 48 in.)	LB293-30 (H = 48 in.)	LB297-30 (H = 48 in.)


Corner Wall Cabinets



- Corner Angle
- Open Face



- Corner Angle
- Solid Door
- Right. Door Swing



- Corner Angle
- Glass Door
- 1/4" Float Glass,
- Right. Swing Only





Product No.	Product No.	Product No.
LA270-25 (H = 24.5 in.)	LA274-25 (H = 24.5 in.)	LB278-25 (H = 24.5 in.)
LA271-25 (H = 30 in.)	LA275-25 (H = 30 in.)	LB279-25 (H = 30 in.)
LA272-25 (H = 36 in.)	LA276-25 (H = 36 in.)	LB280-25 (H = 36 in.)
LA273-25 (H = 48 in.)	LA277-25 (H = 48 in.)	LB281-25 (H = 48 in.)
	LA278-25 (H = 24.5 in.)	LB282-25 (H = 48 in.)

ADA (32" H) and sitting (28-1/2" H) cabinets are available
Mopec offers a wide selection of additional sizes - please check with a Mopec Representative

Tall Storage Cabinets/Solid Doors

Available Depths 16", 18", 22" and 24"

H=Height
D=Depth
L=Length



- Swing Door Storage Unit
- Five Adjustable Shelves
- Hinged Solid Door Panels
- Right Door Swing

- Swing Door Storage Unit
- Five Adjustable Shelves
- Hinged Solid Door Panels
- Left Door Swing

- Swing Door Storage Unit
- Five Adjustable Shelves
- Hinged Solid Door Panels

- Sliding Door Storage Unit
- Five Adjustable Shelves
- Flush Pulls
- Solid Door Panels

All units are 83-1/2" high (H) plus 1" maximum adjustment of leveling feet.

16" Deep			
LC319-18	LC320-18	LC353-30	LC355-30
LC319-24	LC320-24	LC353-36	LC355-36
		LC353-42	LC355-42
		LC353-48	LC355-48
18" Deep			
LC330-18	LC331-18	LC332-30	LC336-30
LC330-24	LC331-24	LC332-36	LC336-36
		LC332-42	LC336-42
		LC332-48	LC336-48
22" Deep			
LC313-18	LC314-18	LC303-30	LC305-30
LC313-24	LC314-24	LC303-36	LC305-36
		LC303-42	LC305-42
		LC303-48	LC305-48
24" Deep			
LC340-18	LC341-18	LC342-30	LC346-30
LC340-24	LC341-24	LC342-36	LC346-36
		LC342-42	LC346-42
		LC342-48	LC346-48

Last two digits of catalog number indicate length (L)

1

2

3

4

5

6

7

8

9

10

11





ADA (32" H) and sitting (28-1/2" H) cabinets are available
Mopec offers a wide selection of additional sizes - please check with a Mopec Representative

Tall Storage Cabinets/Glass Doors

Available Depths 16", 18", 22" and 24" Deep

1

H=Height
D=Depth
L=Length



2

All units are 83-1/2" high (H) plus 1" maximum adjustment of leveling feet.

3

- Glass Door Storage Unit
 - Glazed Glass Door
 - Five Adjustable Shelves
 - 1/4" Float Glass
 - Right Door Swing
- Glass Door Storage Unit
 - Glazed Glass Door
 - Five Adjustable Shelves
 - 1/4" Float Glass
 - Left Door Swing
- Sliding Glass Door Storage Unit
 - Glazed Glass Door
 - Five Adjustable Shelves
 - 1/4" Float Glass
- Sliding Glass Door Storage Unit
 - Glazed Glass Door
 - Five Adjustable Shelves
 - 1/4" Float Glass
 - Flush Pulls

4

Last two digits of catalog number indicate length (L)

16" Deep			
LD321-18	LD322-18	LD357-30	LD358-30
LD321-24	LD322-24	LD357-36	LD358-36
		LD357-42	LD358-42
		LD357-48	LD358-48

5

18" Deep			
LD333-18	LD334-18	LD335-30	LD337-30
LD333-24	LD334-24	LD335-36	LD337-36
		LD335-42	LD337-42
		LD335-48	LD337-48

6

7

22" Deep			
LD315-18	LD316-18	LD307-30	LD308-30
LD315-24	LD316-24	LD307-36	LD308-36
		LD307-42	LD308-42
		LD307-48	LD308-48

8

9

24" Deep			
LD343-18	LD344-18	LD345-30	LD347-30
LD343-24	LD344-24	LD345-36	LD347-36
		LD345-42	LD347-42
		LD345-48	LD347-48

10

11

ADA (32" H) and sitting (28-1/2" H) cabinets are available
Mopec offers a wide selection of additional sizes - please check with a Mopec Representative

Base Cabinets


Standing Height 35-1/4" x 22" Deep

H=Height
D=Depth
L=Length


Drawer and Door Heights	
Drawer Letter	Approximate Height
A	3-1/2"
B	7"

Drawer and Door Heights	
Drawer Letter	Approximate Height
G	22"
H	29"

Last two digits of catalog number indicate length (L)



Product No.	Product No.	Product No.	Product No.
LE119-18	LE118-18	LE133-18	LE132-18
LE119-24	LE118-24	LE133-21	LE132-24
		LE133-24	



Product No.	Product No.	Product No.	Product No.
LE105-30	LE106-30	LE108-30	LE101-18
LE105-36	LE106-36	LE108-36	LE101-24
LE105-42	LE106-42	LE108-42	LE101-30
LE105-48	LE106-48	LE108-48	LE101-36
			LE101-42
			LE101-48



ADA (32" H) and sitting (28-1/2" H) cabinets are available
Mopec offers a wide selection of additional sizes - please check with a Mopec Representative



Base Cabinets

Standing Height 35-1/4" x 22" Deep

1

2

3

4

5

6

7

8


9

10


11

H=Height
D=Depth
L=Length


Last two digits
of catalog number
indicate
length (L)



Product No.	Product No.	Product No.	Product No.
LE196-18	LE195-18	LE103-30	LE100-30
LE196-24	LE195-24	LE103-36	LE100-36
		LE103-42	LE100-42
		LE103-48	LE100-48



Product No.	Product No.	Product No.	Product No.
LE194-18	LE193-18	LE181-30	LE186-52
LE194-24	LE193-24	LE181-36	LE186-58
		LE181-42	
		LE181-48	




Product No.	Product No.	Product No.	Product No.
LE138-30	LE139-30	LE148-30	LE117-30
LE138-36	LE139-36	LE148-36	LE117-36
LE138-42	LE139-42	LE148-42	LE117-42
LE138-48	LE139-48	LE148-48	LE117-48

ADA (32" H) and sitting (28-1/2" H) cabinets are available
Mopec offers a wide selection of additional sizes - please check with a Mopec Representative


Base Cabinets

Standing Height 35-1/4" x 22" Deep




H=Height
D=Depth
L=Length

Product No.	Product No.	Product No.	Product No.
LE136-30	LE113-30	LE140-30	LE114-30
LE136-36	LE113-36	LE140-36	LE114-36
LE136-42	LE113-42	LE140-42	LE114-42
LE136-48	LE113-48	LE140-48	LE114-48



Last two digits
of catalog number
indicate
length (L)

Product No.	Product No.	Product No.	Product No.
LE147-30	LE115-30	LE116-30	LE110-30
LE147-36	LE115-36	LE116-36	LE110-36
LE147-42	LE115-42	LE116-42	LE110-42
LE147-48	LE115-48	LE116-48	LE110-48



Product No.	Product No.	Product No.	Product No.
LE120-30	LE111-30	LE135-30	LE112-30
LE120-36	LE111-36	LE135-36	LE112-36
LE120-42	LE111-42	LE135-42	LE112-42
LE120-48	LE111-48	LE135-48	LE112-48

ADA (32" H) and sitting (28-1/2" H) cabinets are available
Mopec offers a wide selection of additional sizes - please check with a Mopec Representative





Specialty Cabinets

Standing Height 35-1/2" x 22" Deep (Note Special Depth)

Fume Hood Base Cabinet – 22" Deep

Full solid back for added support

H = Height
D = Depth
L = Length





Door Heights	
Door Letter	Approximate Height
G	22"
H	29"

Last two digits of catalog number indicate length (L)

Product No.	Product No.	Product No.
LE187-18	LE187-30	LE187-48
LE187-24	LE187-36	LE187-60
	LE187-42	

Acid Storage Base Cabinets – 22" Deep



Glasticboard lined. Labeled: Acid



Product No.	Product No.
LE188-18	LE188-30
LE188-24	LE188-36
	LE188-42
	LE188-48

Flammable Storage Base Cabinets – 22" Deep

(1) Shelf included. Labeled: Flammable Keep Flames and Heat Away.






Product No.	Product No.
LE189-18	LE189-30
LE189-24	LE189-36
	LE189-42
	LE189-48

ADA (32" H) and sitting (28-1/2" H) cabinets are available
Mopec offers a wide selection of additional sizes - please check with a Mopec Representative


Corner Base Cabinets

Standing Height 35-1/2" x 22" Deep


Last two digits of catalog number indicate length (L)




- Dead Corner (Fixed Panel)
- Base Cabinets (Right door swing) LE192-36



- Corner Angle
- Base Cabinets (Open face) LE197-32
- Shelf Not Included



- Base Cabinets (Right door swing only) LE190-32
- Shelf Not Included




- Dead Corner (Fixed Panel)
- Base Cabinets (Left door swing) LE198-36

Fillers

All fillers are formed to provide an installation free of exposed fasteners. Designed to be used with standard size casework as shown in this catalog.

Last two digits of catalog number indicate length (L)



Removable Knee Space Panel

18 Gauge Construction

35-1/4" High without apron Standing Height

Product No.

- LF507-18
- LF507-24
- LF507-30
- LF507-36
- LF507-42
- LF507-48
- LF507-54
- LF507-60
- LF507-66



Rear Channel Filler

18 Gauge Construction

35-1/4" High Standing Height

Product No.

- LF510-01
- LF510-02
- LF510-07
- LF510-08
- LF510-13
- LF510-14




ADA (32" H) and sitting (28-1/2" H) cabinets are available
Mopec offers a wide selection of additional sizes - please check with a Mopec Representative

Slope Tops and Ceiling Fillers

Slope Tops

For Wall Hung or Storage Units All
Slope Tops Have Finished Ends,
18 Gauge Construction




Product No. 12" Deep	Product No. 16" Deep	Product No. 18" Deep	Product No. 22" Deep	Product No. 24" Deep
LF526-18	LF522-18	LF527-18	LF524-18	LF528-18
LF526-24	LF522-24	LF527-24	LF524-24	LF528-24
LF526-30	LF522-30	LF527-30	LF524-30	LF528-30
LF526-36	LF522-36	LF527-36	LF524-36	LF528-36
LF526-42	LF522-42	LF527-42	LF524-42	LF528-42
LF526-48	LF522-48	LF527-48	LF524-48	LF528-48
		LF527-84		LF528-72

Last two digits
of catalog number
indicate length (L)

Stainless Steel Tops and Sinks

* All tops and sinks are 16 gauge - type 304 stainless steel finished to a #4 satin finish.



ADA (32" H) and sitting (28-1/2" H) cabinets are available
Mopec offers a wide selection of additional sizes - please check with a Mopec Representative

BF600 Downdraft Work Cell



Designed to fit in a 30" front to back countertop (cabinet optional). Removable work surface provides for easy cleaning. Downdraft workcell has a 3-1/2" cup drain for any overflow and washdowns.

Using downdraft fume exhaust technology the BF600 downdraft work cell provides a safe economical downdraft working environment. Ideal for working with reagents, formalin, xylene and alcohol. Requires a sink base cabinet.

Overall Dimensions: 27" L x 27" W x 8" D
(68.5 cm x 68.6 cm x 20.3 cm)

Custom sizes available

Please note: BF600 is not an actual sink and should not be plugged to retain fluids.

Product No. BF600



(Customer's existing base cabinet with counter top)



Cabinet not included



Cabinet not included

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Vented Pathology Cabinets

Excellent for Short and Long Term Specimen Storage

Vented Storage Cabinets

When storing wet tissue specimens vented storage cabinets are a necessity in any laboratory. Residual formalin that evaporates from the specimen storage container and vapor leakage from the storage container accumulates in the storage cabinet. The vented storage cabinet will eliminate the residual formalin fumes when tied into the building ventilation system. Available on both wall mounted and free standing cabinets, the cabinet ventilation option can be added to any cabinet within the LA Series, LB Series, LC Series and LD Series. The cabinets feature glass or solid doors. Cabinets can be easily cleaned with any of Mopec's disinfectants, Mopec's Stainless Steel Wipes or cleaner formulated for stainless steel.

Standard Features

- All shelves are perforated with 1/2" diameter holes on 3" centers.
- A 6" diameter x 2" high ventilation cuff is centered on the top of each cabinet.
- Specifically designed doors allow for air infiltration to accommodate the negative pressure induced.

For LA Series (Solid Door) and LB Series (Glass Door) Wall Cabinets:
Product No. LV100 Cabinet Ventilation

For LC Series (Solid Door) and LD Series (Glass Door) Tall Cabinets:
Product No. LV200 Cabinet Ventilation

Please call a Mopec Representative for additional information or assistance.

Mopec Can Customize Cabinets to Fit Your Lab



Vented Cabinet with solid doors



Finished lab with Vented Storage Cabinets

1

2

3

4

5

6

7

8

9

10

11