



ЕЛЕКТРОЛУКС Electrolux

Industrija za elektricni greaci, gumeni proizvodi i servis

Ovo je crtez e sopstvenost na Electrolux-Bitola. Bez negovo pismeno odobruvanje istoi nesmee da se prepisiva „umnozava niti kopira bez soglasnost od Electroluks vo spratljivo se snosat posledici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (povređa na avtorsko pravo)

2500 SERIES FUNCTIONAL FEATURES



Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries



Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk





ЕЛЕКТРОЛУКС Electrolux

Industrija za električni greači, gumeni proizvodi i servis



A modular bench of generous dimensions and special ergonomic characteristics essentially defined by its individual metal seating covered with open-cell polyurethane foam cushions with a TS fire curtain and vinyl covering. Each assembly comprises a frame consisting of four feet and a double link bar to which the seats are attached. All the structural components are made of aluminium and there are no welds in the whole assembly, which prevents rusting and ensures easy maintenance.

The quality and strength of the materials employed make it extremely durable and eliminate the need for maintenance.

Seat and backrest are a single piece of 2 mm ergonomically curved sheet metal. These pieces are fixed in place at four points: two at the rear and two at the front. This ensures enormous strength and durability.

Seat and backrest have two vinyl covered open-cell polyurethane foam cushions that provide the user with a higher standard of comfort while maintaining a high level of robustness, durability and safety. Both the polyurethane foam cushions are protected by a TS fire curtain and a vinyl covering, which makes them extremely hard-wearing and resistant to intensive daily use as well as easy to maintain and clean.

Options include end and intermediary armrests and tables, which can be placed either between seat or at the end of the bench.

Ovo je slika e sopsivenost na Electrolux-Bitola.Bez njegovo pismeno odobruvanje istiot nesmee da se prepisiva „umnozuvata niti kopira bez soglasnost od Electroluks vo spratno se snosat posledici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (poverda na avtorskio pravo)

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries



Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk






ЕЛЕКТРОЛУКС Electrolux

Industrija za električni greači, gumeni proizvodi i servis

Ovo je slika e sopsivenost na Electrolux-Bitola.Bez negovo pismeno odobruvanje istiot nesmee da se prepisiva „umnozuva niti kopira bez soglasnost od Electroluks vo spratfivno se snosat posledici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (povreda na avtorsko pravo)



TECHNICAL CHARACTERISTICS :

BACK AND SEAT BASE:

- 3 mm pressed metal sheet.

ALUMINIUM:

- Material: UNE L-2630
- Breaking Load: 20 Kg./mm²

Electroluks is registered trademark of Elektroluks companies in Macedonia and other countries



Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk





ЕЛЕКТРОЛУКС Electrolux

Industrija za električni greači, gumeni proizvodi i servis

Ovo je svesnost na Electrolux-Bitola.Bez njegovo pismeno odobruvanje istot nesmee da se prepisiva „umnozava niti kopira bez soglasnost od Elektroluks vo spratfivo se snosat postedici vo smislana clenovite 163 i 164 od kriticniot zakon R.M. (povreda na avtorsko pravo)

POLYURETHANE FOAM:

- Seat density: 65 Kg./m³
- Self-extinguish:
UNE 23727
NF/P 92307

PAINT:

- Electrostatic powder epoxy
- Coating thickness: 70-80 micra
- Grid adherence: 100%

UPHOLSTERY:

- Vinyl
DIN 75200
DIN 53348
NVSS 302
BS 5852 crib 5
BS 7176
- Resistance to impact: DIN 53455
without breakage

FIRE STANDARDS

England:

BS5852. Section 5. Ignition Sources 0, 1 and 5

Germany:

DIN54342 part 1 and 2

Italy:

CSE RF/4/83 class 1. IM

Spain/France:

UNE 23727/NF 92-503

Upholstery: M1/Foam: M4/Plastic: M3

USA:

CAL T.B. 133 (in approved fabric)

WEIGHT:

34 Kg.

VOLUME:

0,25 m³ (K.D)

Elektroluks is registered trademark of Elektroluks companies in Macedonia and other countries



Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje

www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk

