

Industrija za elektricni greaci, gumeni proizvodi i servis

2400 SERIES FUNCTIONAL FEATURES























Ovaj criez e sapstvenost na Electralux-Bitola. Bez negava pismeno adabruvanje istiot nesmee da se prepisuva ,umnozuva niti kopira bez saglasnost od Elrctraluks vo sprotívno se snosat posledíci vo smíslana clenovite 163 i 164 od krivícniot zakon R.M. (povreda na avtorsko pravo)





Elektroluks is registered trademark of Elektrouks companies in Macedonia and other countries

Electrolux

Industrija za elektricni greaci, gumeni proizvodi i servis

A modular bench of generous dimensions and special ergonomic characteristics essentially defined by its individual metallic seating, with the front part covered by half-rigid polyurethane foam.

Each assembly comprises a frame consisting of four cast aluminium feet and a double link bar to which the seat and backrest supports are attached. All the structural components are made of aluminium and there are no welds. This prevents rusting and ensures easy maintenance. Quality and resistance of used materials give to the seat a high durability and no need of maintenance.

Seat and backrest are a sole part made of metallic plate of 2mm and ergonomically curved. This piece is fixed through four points, two at

the upper beam and two at the anterior one. By this a high

resistance and durability is achieved.


Seat and backrest are covered at the front part by two pieces of


polyurethane half-rigid foam that gives to the user a high comfort level keeping high resistance, durability and safety.

Both polyurethane parts are finished with a softly texture,

non-sliding finish.

Optionally end-arms can be supplied.





criez e sopsivenost na Electralux-Bitola. Bez negovo pismeno odobruvanje istlot nesmee da se prepisuva ,umnozuva niti kopira vo sprotívno se snosat posledíci vo smislana clenovite 163 i 164 od krivicniot zakon R.M. (povreda na avtorsko pravo)

bez soglasnost od Electroli





Elektroluks is registered trademark of Elektrouks companies in Macedonia and other countries

Industrija za elektricni greaci, gumeni proizvodi i servis

TECHNICAL CHARACTERISTICS

BACK AND SEAT BASE:

3 mm pressed metal sheet.

ALUMINIUM:

- Material: UNE L-2630
- Breaking Load: 20 Kg./mm2

POLYURETHANE FOAM:

- Seat density: 65 Kg./m3
- Self-extinguish: **UNE 23727** NF/P 92307

PAINT:

- Electrostatic powder epoxy
- Coating thickness: 70-80 micra
- Grid adherence: 100%

FIRE STANDARDS

England:

BS5852. Section 5. Ignition Sources 0, 1 and 5

Germany:

DIN54342 part 1 and 2

Italy:

CSE RF/4/83 class 1. IM

Spain/France:

UNE 23727/NF 92-503

Upholstery: M1/Foam: M4/Plastic: M3

WEIGHT:

30 Kg.

VOLUME:

0,125 m3 (K.D)



000

Elektroluks is registered trademark of Elektrouks companies in Macedonia and other countries