

Industrija za elektricni greaci, gumeni proizvodi i servis

# 2000 SERIES **FUNCTIONAL FEATURES**













A seating system for waiting areas with individual seats and a high standard of comfort while being extremely resistant to use.

Seat and backrest are made of 2 mm-thick formed steel plate. The backrest has an anatomical shape with a double curve providing adequate support for the lower back and shoulders. The seat also has a double curve to support the legs and ensure that the user sits in the most comfortable position. All the profiles are rounded and completely free of sharp edges for user safety.

A single, triangular aluminium profile supports the seat and back and acts as the mounting for the feet. This structure furnishes clear, unencumbered space under the seats, which makes cleaning the area very easy. The different parts are assembled without the need for welded joins, thereby preventing the danger of rusting and the existence of structurally weak points.



criez e sopstvenost na Electrolux-Bitola. Bez negovo pismeno adabruvanje istlot nesmee da se prepisuva ,umnozuva niti kopira bez soglasnost ad

Elektroluks is registered trademark of

**Elrctroluks** 

criez e sopsivenost na Electrolux-Bitola. Bez negovo pismeno odobruvanje istiot nesmee da se prepiswa "umnozuva niti kopira bez soglasnost od

vo sprotívno se snosat posledíci vo smíslana clenovite 163 i 164 od krivicniot zakon R.M. (povreda na avtorsko pravo)

Industrija za elektricni greaci, gumeni proizvodi i servis


The quality and strength of the materials employed and the absence of any mechanical elements make this system extremely durable and eliminate the need for maintenance.






The feet are highly stable, conical aluminium structures that are attached to the central bar by means of clamps which are also made of aluminium. Each foot has two levelling devices to cope with any unevenness in the floor. Groups of four, five or six seats can be assembled on just two feet.

A 2 mm-thick steel plate table can be incorporated in the middle or at the end as an option. Armrests of polished or painted aluminium with rounded edges for greater user safety are also optional.





Ovo

Elektrouks companies in Macedonia and other countries




# Electrolux

Industrija za elektricni greaci, gumeni proizvodi i servis



23.6"



## TECHNICAL CHARACTERISTICS

### **SEAT & BACK:**

Steel plate.

## PAINT:

- For indoor use:
- Electrostatic powder epoxy
- For outdoor use:
  - Electrostatic powder polyester
- Coating thickness:
  - Indoor: 70-80 micro
  - Outdoor: 150 micra (medium)
- Grid adherence: 100%

## **ALUMINIUM:**

- Material: UNE L-2630
- Breaking Load: 20 Kg./mm2
- Density: 2,7 gr./cm3



Adresa: ul.Braka Mingovi 18, 7000 Bitola; tel: 047/203-330 ,203 900ul.A.Guslarot.1a 02/329 8 130 Skopje www.electrolux.com.mk www.elektroluks.com.mk e-mail: elek-palenzo@mt.net.mk



Elektroluks is registered trademark of Elektrouks companies in Macedonia and other countries



Industrija za elektricni greaci, gumeni proizvodi i servis

# **UPHOLSTERY:**

Pilling: Index 5 BS 5811

FIRE STANDARDS

england:

BS5852. Section 5. Ignition Sources 0, 1 and 5

germany:

DIN54342 part 1 and 2

Italy:

CSE RF/4/83 class 1. IM

spain/france:

UNE 23727/NF 92-503

Upholstery: M1/Foam: M4/Plastic: M3

WEIGHT:

21 Kg.

**VOLUME:** 0,05 m3 (K.D)

Ovoj criez e sopstvenost na Electralux-Bitola. Bez negovo pismeno odobruvanje istiot nesmee da se prepisuva ,umnozuva niti kopira bez soglasnost od Elictroluks vo sprotívno se snosat posledíci vo smíslana clenovite 163 i 164 od krivicniot zakon R.M. (povreda na avtorsko pravo)





Elektroluks is registered trademark of Elektrouks companies in Macedonia and other countries